DC SCOUT: HJA-2525

LOCATE GROUNDS WITHOUT DE-ENERGIZING CIRCUITS

No disconnecting leads to isolate grounds in complex circuits

FOLLOW PULSES TO GROUND WITH CLAMP-ON DETECTOR PROBE

TROUBLESHOOT CRITICAL CONTROL SYSTEMS QUICKLY, ACCURATELY

DC GROUND FAULT LOCATOR



LOCATE GROUNDS WITH AS LITTLE AS 2 MA OF CURRENT



LOCATING GROUNDS IN NUCLEAR PLANTS, POWER PLANTS, OIL REFINERIES, CHEMICAL PLANTS, AND FIRE ALARM SYSTEMS

Competitive Advantages: Accuracy, Reliability









DC Scout Specifications

PULSER UNIT

DESCRIPTION: HOUSED INSIDE INSTRUMENT CASE, MOUNTS PULSE METER AND USER ADJUSTABLE CONTROLS

OPERATIONAL VOLTAGE: 125 VAC, 250 MA FRONT PANEL FUSE PROTECTED

RELAY OUTPUT: 250 VDC, 250 MA FRONT PANEL FUSE PROTECTED

RELAY TIMING: 2 TO 8 CYCLES PER SECOND, USER ADJUSTABLE

RELAY INDICATOR LAMP: 14 VDC, BAYONET STYLE

Pulse Amplitude Meter: 0-300 mA DC, pivot and jewel style, with user selectable 30 or 300 mA range

PULSER DETECTOR

DESCRIPTION: SUPER-SENSITIVE PULSE AMPLIFIER, HOUSED IN ALUMINUM SHELL WITH NECK STRAP

OPERATIONAL VOLTAGE: 9 VDC, TRANSISTOR BATTERY POWERED

METER: TAUT BAND, ZERO-CENTER

DETECTOR/PROBE SENSITIVITY: 2 MA MIN. PULSE AMPLITUDE (FOR DETECTABLE METER MOVEMENT; SLIGHTLY MORE FOR OPTIONAL PROBE)

SENSITIVITY, BALANCE CONTROLS: ADJUSTMENT CONTROLS MOUNTED ON REAR PANEL

BATTERY TEST: REAR PANEL PUSH BUTTON WITH METER INDICATION

DIMENSIONS AND WEIGHT: 3 3/8" x 3" x 5 1/8 " - 1LB.

DETECTOR PROBES

STANDARD PROBE: 2" CIRCULAR JAWS; AEMC SR704 AC CURRENT PROBE, LEAD, 1MA/A, 1200A OPTIONAL PROBE: .5" x 4" OPENING; AEMC MN106 AC CURRENT PROBE, LEAD, 1MA/A, 150A



STANDARD PROBE CCTSR-704

OPTIONAL SKINNY PROBE HJA-2525-117



Pulser Detector HJA-2525-110



RELAY INDICATOR LA

Pulser Unit HJA-2525-PT

ABOUT THE COMPANY

Since 1971, Arnett Industries manufactures and distributes products for the electric utility and telecom industries.

For over 50 years, Arnett has worked closely with customers to develop practical products geared to solving everyday problems for utilities.

Arnett's line of instruments has grown out of direct discussion and response to linemen and engineers. We welcome your inquiries and comments.

CHECK OUT THE COMPLETE LINE OF SERVICE CONDUCTOR TEST INSTRUMENTS

THE SUPER BEAST-P

20 AMP, PULSING SERVICE CONDUCTOR TESTER

THE MEGA BEAST 80 AMP, SERVICE CONDUCTOR TESTER

THE PINPOINTER

UNDERGROUND SECONDARY FAULT LOCATOR

